PRODUCT DOCUMENTATION

EVOLIS VISION THE STATE-OF-THE-ART RADAR SPEED SIGN




www.en.elancity.com

nn

FA!

THE WORLD'S MOST FREQUENTLY CHOSEN MODEL

Accuracy, striking visibility, reliability in all conditions, easy to install, the EVOLIS Vision radar speed sign boasts a host of advantages that have made it an international benchmark: over 10,000 town councils have adopted it and there are over 30,000 units in operation worldwide.



1 An impactful display making it the most effective of radars

- Greater visibility meaning earlier driver awareness
- Customizable messages to match your priorities
- Accurate, long-range Doppler radar antenna (300 meters)

2 Connected radar for high-performance analysis

- Traffic data recorded in both directions
- A software package for analyzing your traffic data
- Various connectivity options

3 Durability and long-term reliability

- Extremely durable housing
- Robust front face
- Two-year guarantee

4 Simple, safe installation

- Easy installation built into the design
- Can be configured directly on the appliance
- Four power supply modes to suit sites of all kinds
- Lightweight: only one person needed for installation or relocation

TESTIMONIALS FROM OUR CUSTOMERS

I have to say that we are absolutely delighted with the new device and we have had lots of positive comments from residents who are also very impressed. I am sure we will be placing a further order with you in the New Year.

Mr Craig Bowne, Councillor to Alderley Edge Parish Council (Cheshire)


A STRIKING DISPLAY, MAKING IT THE MOST EFFECTIVE RADAR

Accurate is fine, but unmissable is better. With a 300 meters vehicle detection range and optimum visibility up to 250 meters, EVOLIS Vision is considered the best performing and most safety-inducing radar on the market!

Dual display: speed figures and warning messages

EVOLIS Vision has 2 displays: **the first displays the speed detected by the Doppler antenna.** The speed display is made up of 3 rows of LEDs: a maxi format and a high resolution which greatly increase visibility and the psychological impact on the driver.





EVOLIS VISION'S VISUAL PERFORMANCE VERSUS ITS COMPETITORS



Competitor's product: 2-row LEDs



Competitor's product: 1-row LED

The second display, at the bottom, can be used to display text that can be fully customised according to speed. EVOLIS Vision also has a wide range of pre-recorded messages and pictograms.



With its **large matrix** (16 x 64 cm), the EVOLIS Vision radar's text display is a major asset toward achieving greater impact on motorists and inciting them to slow down.

Discover also EVOLIS Mobility!

The version without text display of EVOLIS Vision (with a screen-printed text). Contact us for more information!



Customizable messages according to your priorities

EVOLIS Vision adapts to the stretch of road you want to make safe. The "Full LED" text display matrix lets you customize messages to suit specific locations or periods, e.g., protection of pupils at school break-up times. You can also alternate two or three flashes with a special message to grab the attention of drivers used to driving past the display without noticing. Outside these specific times, standard messages are resumed.


	00000 000000 0000 00
£ 1	00000 000000 0000 00
** **********************************	
E C C C C C C C C C C C C C C C C C C C	
· · · · · · · · · · · · · · · · · · ·	
EREPORTED A CONTRACTOR CONTRACTOR CONTRACTOR CONTRACTOR AND A CONTRACTOR AND A CONTRACTOR AND A CONTRACTOR AND	

Accurate, long range Doppler radar antenna

This tried-and-tested technology used in our radar speed displays enables us to guarantee accurate detection at ranges up to 300 meters, a wide detection angle of 33° and an accuracy of +/- 1%. **The longer the detection range**, the more the driver comes face-to-face with their speed and **the bigger the radar's effect!**

The different interactions between EVOLIS Vision and the motorist

The two-tone display, refreshed every second, ensures a strong impact on the motorist. It is green when the speed limit is respected, and red when it is exceeded.



A CONNECTED RADAR FOR HIGH-PERFORMANCE ANALYSIS

The EVOLIS Vision radar doesn't stop at warning drivers. The integrated software lets you manage your equipment with your own resources and record and analyze traffic data in your community.

How do you communicate with your radar?

Through your PC, you can exchange data with your radar via USB cable (included) and Bluetooth®. You can also connect to your radar via **your tablet or smartphone under Android/iOS.**




Optional: discover Connect Option

More flexible connectivity with the new **Connect option:** if your radar is purchased in Bluetooth® configuration only and you wish to add the 4G option, the change is made without factory return. **Advantage: simplicity and a significant saving.**

A software suite to analyze your traffic data and prove the effectiveness of the radar speed sign

Configure your radar easily and retrieve its recorded data with our software package (unlimited access license): number of vehicles time stamped to the nearest second, speed in both directions, average and maximum speeds, etc. It can also output your data in graphic form: pie charts, diagrams, graphs, etc., providing you with precious information on road safety in your town or village. All the data can be exported as an Excel, CSV, or PDF file.







Spy mode: the smart way to analyze data

The extremely useful "spy" function lets you **compare the radar unit's traffic data** in the on and off modes. With this system, the EVOLIS Vision radar doesn't display speeds but still records the traffic data.

DURABILITY AND LONG-TERM RELIABILITY

Eastern and southern Europe, Canada, USA... installations all over the world are proof that EVOLIS Vision radars are designed to work long term in any climatic condition.

Extremely durable housing

Made of polycarbonate-reinforced ABS resin, the one-piece housing guarantees perfect weatherproofing and protection of the components.

There are no screws to go rusty. The full-core anti-UV treatment ensures maximum service life.

Robust front face

The front face is made of polycarbonate with a nonreflective surface treatment for improved visibility and easy reading in all conditions. Its slight curvature protects the LEDs against shocks from projectiles.





A 2-year warranty and a dedicated support team

The return rate of our radars under guarantee is less than 1%. In case of malfunction (except vandalism), we proceed with you to the diagnosis by phone and bring you the necessary support for the repair.

Our team of specialists assists you with installation and use: telephone talk-throughs or onsite training are both possible.

TESTIMONIALS FROM OUR CUSTOMERS

After 60 days of being deployed I am very happy to report that I have not received any complaint from these areas in regard to speeding. I was able to program the signs to display warning messages in alternating colors and could not be happier with the results. In fact, the average speed over a 60-day period was 98% below the posted speed limit.

Mr Prichard, Hollyword Park, TX

A SIMPLE AND A SAFE INSTALLATION

The EVOLIS Vision is cleverly designed to enable installation and relocation in a matter of minutes on any existing support structure by a single member of your workforce.

Easy installation built into the design

Delivered pre-configured and ready to go, the EVOLIS Vision has been designed to make it easy to install and use:

- Weighs only 9.2kg, allowing easy manipulation without heavy equipment
- Large detection angle of 33° for easy orientation of the radar
- Universal mounting bar
- Specific supports that fit any type of installation
- Able to be secured by padlock for added security








Setting up: an interface for pre-selecting speed limit

Configuration directly on the radar:



Where to place them for maximum effect?

To achieve significant speed reductions, drivers need to be reminded of their speeds for as often as possible. Town entrances, village main roads, approaches to schools - for maximum effectiveness, the best positions are:


- Locations visible from a substantial distance (50 to 200 meters)
- Locations providing a clear line of sight to allow the antenna to detect individual vehicles across a longer distance (avoiding trees, crossroads, car parks, etc.).




FOUR POWER SUPPLY MODES FOR ADAPTABILITY TO ALL LOCATIONS!

Solar, mains electricity, battery, dual: Four low-consumption power supply modes are available for adaptability to all your town's situations and all climatic conditions. Our solar pack offers two possible power supply modes: either with a solar panel or only on battery.

Our hybrid pack also offers two possible power supply modes: either directly on the electrical network, or double with solar panel and electrical network.





TECHNICAL CHARACTERISTICS

DISPLAYS	Speed Digits	3 digits (0 to 199) Dimensions: 380 x 450 mm Colour: green / amber / red Visibility: 3-LEDline thickness	
	Smileys	Colour: green / red Dimensions : 300 x 300 mm	
	Message/Graphic display (excluding EVOLIS Mobility)	Dimensions: 160 x 640 mm (H x W), 1 line of 8 characters / 2 lines of 11 characters Colour: amber Programmable messages – text and pictograms	
	LEDs	OSRAM C.M.S high-luminosity, ultra-low consumption Service life > 100,000 hours	
	Photosensitive cell	High-precision sensor for adaptation to the light	
	Range	Up to 300 metres	
doppler Radar Antenna	Accuracy	within 1%	
	Angle of detection	33 degrees	
	Frequency	24.125 GHz	
TRAFFIC STATISTICS	Analysis	In both traffic directions (incoming/outgoing)	
	Data	Average and maximum speeds, number of vehicles, time stamps, percentiles (V30/V50/V85)	
	Memory	16 Mo, 5 million vehicles recorded	
	Operation	With the software package. Output exportable in Excel, CSV, or PDF files.	
SETTING UP	Local	USB and Bluetooth®® (PC or Android/IOS mobile appliance with mobile app) Prerecorded speed bands with selection interface	
	Remote	4G modem with Web interface (operational status of appliance and statistical analysis)	
HOUSING	Dimensions	710 x 770 x 160 mm (W x H x D), with two battery slots	
	Weight	9.2 kg (excl. batteries)	
	Material	ABS resin, anti-UV, one-piece injection moulded body	
	Colour	Grey, through dyed	
	Ingress protection	IP65	
	Security	Lock and specific key, also provision for padlock	
	User access	External access to batteries, speed change interface, and USB port. Secured by two locks	
FRONT FACE	Material	Polycarbonate with nonreflective surface	
	Decoration and text	Regulatory red and white border - Silkscreened text "Your speed" Reverse silkscreen printing	
	Shape	Convex for optimum protection against projectiles	
POWER SUPPLY	Battery	Lead-acid 12V, 22Ah Weight: 6.2kg Dimensions: 181 x 76.2 x 167mm (L x W x H)	
	Charging by solar panel	100 watts Monocrystalline high-output cells Dimensions: 806 x 680 x 35 mm (L x W x H) Smart charging management	
	Charging from street lighting or grid	Internal power 220 V Smart charging management Integrated protection fuse	
COMPLIANCE	European standards	Directive RED 2014/53/EU Directive RoHS 2011/65/EU Directive WEEE 2012/19/EU	

ÉlanCité

A COMPREHENSIVE RANGE FOR ROAD SAFETY AND LOCAL COUNCIL COMMUNICATION

Drawing on its expertise in radar speed displays, Élan Cité capitalizes on its know-how and flair for innovation by expanding into other areas of display, including municipal information and road traffic management. The priority remains the guarantee of reliability, durability, toughness, and ease of installation and use.

EVOLIS[®]

The most effective radar speed display for getting drivers to slow down

- Significant, lasting decrease in speeding
- Recording of traffic statistics in both directions
- The "benchmark" model, with the most installations worldwide



EVOLIS Vision



EVOLIS Mobility

EVOCITY

The only electronic information display designed to fit on your public lampposts

- Fitting to and charging from streetlamps possible
- Excellent reading quality in all conditions of light
- Versatile: can be relocated



EVOFLASH

A beacon to boost your existing road safety signage

- Triggered by the detection of a speeding vehicle
- Adaptable to all support posts: universal fastening and solar selfsufficiency



EVOTRAFFIC

The road traffic counting and analysis tool with the easiest implementation

- Detailed traffic statistics: number of passing vehicles, speed and classification by vehicle type
- Maximum accuracy with detection by tube
- Data interpretation software, complete and simple to use



Find out more by consulting your assigned sales representative

ÉlanCité

A TEAM LOCAL COUNCILS HAVE LEARNT TO COUNT ON





Élan Cité has been designing, manufacturing, and distributing products to fulfil the needs of local authorities for nearly 20 years. We are first and foremost a team focused on customer satisfaction, with a strong commitment to tackling issues that lead to improvements in local road safety.

Founded in 2005

50 staff

Over 10,000 towns and villages equipped and over 30,000 units in operation

Élan Cité, the safety and security partner

It doesn't matter whether you are a municipality, a district council, a county council, or a big city: our experts with their solid experience in the trade (7 years on average) will bring you unmatched effectiveness in the materialization of all your projects.





Many private sector enterprises also trust us for securing access to their production sites. EVOLIS can be adapted to all situations.






100% highquality French manufacture




All our second-tier suppliers are also French and ISO 9001 certified. By operating stringent checks at each stage, we are able to guarantee you consistent optimum quality.





A PRESENCE ALL OVER THE WORLD

Élan Cité is the founding entity of Elan City Group. Today, Elan City has 5 European subsidiaries, 1 subsidiary in the United States and a global presence thanks to a distribution network of more than 40 distributors.



- Elan City Germany Savignystraße 43 60325 Frankfurt am Main info@elancity.de
- Elan City Spain C/Velazquez 80, 5 Izq 28001 Madrid ventas@elancity.es
- Elan City Italy Corso Vittorio Emanuele II, 71 10128 TORINO TO vendite@elancity.it
- Elan City UK Wilberforce House Station Road LONDON NW4 4QE sales@elancity.co.uk
- Elan City USA 450 7th Avenue New York, NY 10123-1591 sales@elancity.net
- Élan Cité France 12 route de la Garenne 44700 Orvault contact@elancite.fr

Headquaters: Orvault, region of Nantes, France

Expertise hailed in over 50 countries

ÉlanCité 까

Élan Cité Export / Distributors

12 route de la Garenne 44700 Orvault

export@elancite.fr https://en.elancity.com



Discover EVOLIS Vision on video by flashing this QR Code!